.





The University of New Hampshire









# THE UNIVERSITY OF NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION

Department of Agricultural and Biological Chemistry

# Inspection of Commercial Fertilizers

Made for the

STATE DEPARTMENT OF AGRICULTURE



H. A. DAVIS, M. A. BRUCE and E. E. EASTMAN

THE UNIVERSITY OF NEW HAMPSHIRE DURHAM, N. H.

#### INSPECTION OF COMMERCIAL FERTILIZERS

#### Made for the

#### State Department of Agriculture

The inspection of commercial fertilizers reported in this bulletin was made under the direction of the Honorable Perley I. Fitts, Commissioner of Agriculture. Mr. George H. Laramie, Fertilizer Control Supervisor, and Mr. Harold W. Ayer, Inspector, collected samples of 114 brands of mixed fertilizer and fertilizer materials which were offered for sale by dealers or had been delivered to consumers during the year ending June, 1951. The general character of the brands sampled is shown by the following classification:

Complete fertilizer	68
Phosphoric acid and potash	10
Superphosphate	9
Nitrate of soda	2
Ammonium nitrate	2
Ammonium sulphate	1
Muriate of potash	5
Ground bone	6
Natural manures	8
Tankage	1
Urea	1
Cyanamide	1

### THE FERTILIZER LAW

The chief purpose of the official inspection required by the fertilizer law is to protect the consumer against the misbranded products which doubtless would soon appear on the market if the sale of the fertilizer was not under state regulation. The purchaser of fertilizer or fertilizer materials should acquaint himself with the full text of the law. He should not accept from the dealer any bag of fertilizer which is not tagged and guaranteed in compliance with the law. If he does so, it is at his own risk.

The law governing the guarantees and labeling of commercial fertilizers or fertilizer materials follows:

"Every lot or parcel of commercial fertilizer or fertilizer material sold or offered or exposed for sale within this state shall be accompanied by a plainly printed statement, clearly and truly certifying the number of net pounds of fertilizer in the package; the name, brand or trademark under which the fertilizer is sold; the name and address of the manufacturer or importer; the location of the factory; and a chemical analysis stating the minimum percentage of nitrogen, of available phosphoric acid and of water-soluble potash expressed in whole numbers.

"No fertilizer or fertilizer material containing the three essential fertilizing elements, nitrogen, phosphoric acid and potash may be sold or offered for sale if the total minimum plant food nutrients contained therein is less than fourteen per cent by weight, provided however that natural animal and bird manures shall be excepted from the provisions of this section."

Copies of the full text of the law may be obtained from the Fertilizer Control Supervisor, State House, Concord, N. H. Inquiries concerning the law

and all matters relative to the registration of brands should be addressed to his office.

The value of a fertilizer depends mainly upon its content of available plant food, particularly nitrogen, phosphoric acid, and potash. To correct certain soil conditions, other plant nutrients are included in fertilizers for specific crops. Magnesium and boron are two so-called minor elements or plant foods furnished by some brands of fertilizers for specific cases. Whether or not a fertilizer contains the guaranteed amount of plant food can be determined only by a chemical analysis. For this reason it is considered necessary that each brand of fertilizer offered for sale be officially sampled and analyzed each year. When failure to meet the guarantee is proved by chemical analysis, the prosecution or seizure provisions of the law may be invoked. The purchaser's refusal to buy a fertilizer which does not conform to the law will not only assist in the enforcement of the law but will at the same time insure him the protection of the law.

## USE OF COMMERCIAL FERTILIZERS

It is not within the scope of this bulletin to make recommendations regarding the use of commercial fertilizers. The Department of Agronomy and the Department of Agricultural and Biological Chemistry of the University of New Hampshire Agricultural Experiment Station test soils and conduct experimental work with various fertilizer materials on hay and crop land. The Department of Horticulture investigates fertilizer treatments for fruits and vegetables. Much of this work has been published, and is available for free distribution to residents of New Hampshire. Address your request to Mail Service, University of New Hampshire, Durham, New Hampshire.

- Sta. Cir. 58 Fertilizer Needs of Alfalfa on New Hampshire Soils. 12 pp.
- Sta. Cir. 59 Effect of Soil Moisture and Fertilizer Placement on Vitality of the Potato Seed Piece. 11 pp.
- Sta. Cir. 61 Fertility Needs of Dairy Farm Crops in the Connecticut Valley.
  12 pp.
- Sta. Cir. 63 Fertilizers for Sweet Corn. 8 pp.
- Sta. Cir. 74 The Response of Clover and Total Forage to Top-Dressing Fertilizers. 12 pp.
- Sta. Bull. 324 Experiment with Potatoes. 38 pp.
- Sta. Bull. 362 Purchasing Fertilizers in New Hampshire. 31 pp.
- Ext. Cir. 173 Grape Growing in New Hampshire. 11 pp.
- Ext. Cir. 210 Purchasing Lime and Fertilizer. 12 pp.
- Ext. Cir. 212 Cabbage. 4 pp.
- Ext. Cir. 266 Root Crops. 20 pp.
- Ext. Cir. 273 The Home Vegetable Garden. 20 pp.
- Ext. Cir. 275 Culture of Low-Bush Blueberries. 16 pp.
- Ext. Cir. 287 Forage Production and Grain Saving. 8 pp.
- Ext. Cir. 289 Cane Fruit Culture. 8 pp.
- Ext. Cir. 299 Tomatoes for New Hampshire. 20 pp.
- Ext. Bull. 100 Growing Apples in New Hampshire. 32 pp.

While the word fertilizer does not appear in all of the above titles, no publication is included which does not discuss the use of fertilizer.

# SUGGESTED FERTILIZERS FOR NEW HAMPSHIRE

The following table was developed by the members of the Department of Agronomy and is included in this bulletin with their permission.

Сгор	Medium Analysis	Lbs. per Acre	High Analysis	Lbs. per Acre
Grass Seedings <sup>4</sup>	5-10-10	600- 800	8-16-16	400-500
	*4-12-16	400- 500		
Top-Dressing Legumes	0-14-14	600- 800	0-20-20	400-600
Top-Dressing Legumes				
and Grasses	5-10-10	700- 800	8-16-16	400-500
Top-Dressing Grasses	7- 7- 7	600-800	10-10-10	400-600
Corn for Grain or Silage	5-10-10	1000-1200	8-16-16	600-800
	*4-12-4	400- 600		
	*4-12-8	400-600		
Millet or Sudan	7- 7- 7	600-800	10-10-10	400-500
Permanent Pasture	$0 - 14 - 14^{1}$	500- 700	0-20-20	300-500
	$5-10-10^2$	500- 600	8-16-16	300-500
Potatoes	5-10-10	2500	8-16-16	1600
	4-12-12	2400	5-15-15	2000
Vegetables and				
Home Gardens	5-10-10	2000	8-16-16	1250
	5-8-7	2000		
	5-10- 5	2000		
	*4-12- 4	1000		
Fruit Trees <sup>3</sup>	1/4 lb. of o	ommon nitroge	n carrier for e	ach year of
	age of tre	e, up to 10 lbs.,	or ½ that am	ount of am-
	monium n			

<sup>\*</sup> In addition to manure.

- 1. Safe application on soil suited for clover.
- 2. To be used where grazing can be controlled.
- 3. Boron in form of borax on fruit trees, ½ lb. per tree every three years.
- 4. 30-35 lbs. of borax per acre prior to seeding alfalfa is advisable.
- A. The above recommendations are designed for a guide for use of commercial fertilizers only.
- B. Use all the manure every year. IT IS A VALUABLE FERTILIZER.
- C. Fortify manure with superphosphate at the rate of at least 1 lb. per animal per day.
- D. Hen manure should be used at one-half the rate of cow manure.
- E. Manure weighs approximately 45 lbs. per cubic foot.

#### CONFORMITY TO GUARANTEE

The chemical analyses reported in this bulletin were made by the methods adopted by the Association of Official Agricultural Chemists.

Number of brands analyzed	114
Equalling or exceeding all guarantees	64
Deficient in nitrogen only	17
Deficient in available phosphoric acid only	14
Deficient in potash only	10
Deficient in nitrogen and phosphoric acid	2
Deficient in nitrogen and potash	4
Deficient in phosphoric acid and potash	2
Deficient in nitrogen, phosphoric acid, and potash	1

Thirteen brands were guaranteed to contain magnesium oxide. None failed to meet the guarantee. In general, the overrun in plant food guarantees exceeds the deficiencies when all brands of a manufacturer are included.

Fertilizers are largely mixtures of highly purified chemicals. Segregation of these materials in the bag may be expected. To obtain a truly representative sample of a fertilizer mixture requires careful work. The chemist can accurately determine the nitrogen, phosphoric acid, and potash content of the sample sent to the laboratory. If this sample does not correctly represent the larger lot, the analytical work is of no use. The obligation of the fertilizer control program is to see that the manufacturer is supplying the guaranteed amount of plant food to the consumer. For this reason the sample must be drawn and analyzed very carefully so that injustice will not be done to either the consumer or manufacturer.

In the tabulation of the analyses in the following pages, deficiencies of one-half of one per cent or more are shown in red ink. The names of the manufacturers are arranged alphabetically. The brand names are listed alphabetically, or numerically by formula, under the manufacturer.

				P.	Phosphoric Acid	c Acid				Magnesium	sium
,		Nitrogen	gen	Total	-	Available	ble	Potash	sh	Öxide	Je
⊗.H	Sample Drawn in	БээтавтвиФ	рипод	Бээтавтви	рипод	Guaranteed	Found	БээзпятвиФ	Found	Бээтявиы	Found
ye Corp. trate of Sodi		16.00	16.13 20.54								
Aero-Cyanamid Concord	ncord	20.60	20.70		i	:		:			
Aerophus Annionium Nutaee Fertilizer 33.5%	Colebrook	33.50	33.60		i					:	
AA Quality Fertilizer 3-12-6Nashua	shua	3.00 8.25	3.01 8.42			12.00		6.00	6.01		
	ene	$\frac{1.50}{3.00}$	$\frac{1.51}{3.02}$	25.00	29.35	12.00		6.00	6.16		
for Corn 4-12-4	ıshua ncord	5.00	3.70 5.06			12.00 8.00	8.11	7.00	$\frac{4.40}{7.01}$		
Agrico for Potatoes 5-10-10	ncord	6.00	$\frac{4.76}{5.69}$			10.00 $10.00$	$10.04 \\ 9.76$	10.00 4.00	4.24		
Agrico for Lawns, 1rees- Agrico for Top Dressing 7-7-7	ene alpole eter ncord	6.00	6.01			$10.00 \\ 7.00 \\ 14.00 \\ 18.00$	9.81 $7.05$ $14.14$ $18.01$	4.00 7.00 14.00	3.76 7.01 14.80		
Bone Meal Manchester Bone Meal Manchester Liberty Brand Fertilizer 4-12-4 Manchester Liberty Brand Fertilizer 5-8-7 Manchester Liberty Brand Fertilizer 5-10-10 Manchester	Manchester Manchester Manchester Manchester Manchester	3.70 2.25 4.00 5.00	3.81 3.87 4.46 5.03 5.08	22.00	26.15	12.00 8.00 10.00	12.47 9.30 10.01	4.00 7.00 10.00	4.48 7.99 10.56		

				1	Phosphoric Acid	ic Acid				Magnesium	sium
		Nitrogen	ngen	Total	al	Available	ple	Potash	rsh	Oxide	e
ΔÄ	Sample Drawn in	Guaranteed	Found	(диятаптее <b>d</b>	punoA	Бээтпатави	punoA	Guaranteed	Found	Бээтпятви	Found
Liberty Brand Fertilizer 5-10-10-11/2 Manchester	nchester	5.00	5.08			10.00	11.25	10.00	10.48	1.50	3.55
r :	.Manchester	6.00	$6.18 \\ 7.04$			7.00	8.87	4.00	4.72		
	lebrook	8.00	8.15			16.00	17.04	16.00	16.24		
	.Manchester	1.00	1.33			0.50	0.99	1.00	3.44		
Liberty Landscape and Golf Course Fertilizer 8-6-2 Armour Fertilizer Works Carteret N. I.	Manchester	8.00	8.72	:		6.00	6.27	2.00	3.20		
Armour Big Crop Fertilizer 5-8-7Nashua	shua	5.00	4.68		:	8.00	8.60	7.00			
Armour Big Crop Fertilizer 5-10-10-2Nashua Armour's Vertagraen 6-19-19	shua	5.00 6.00	5.30 6.18	:		10.00	10.63	10.00	11.88	2.00	2.59
Armour's Big Crop Fertilizer 7-7-7Concord Buell Fertilizer Co.	ncord	7.00	6.88			7.00	7.45	7.00	7.28		
		0		0				i i	į		
Buell Feat-Foultry Manure	eter.	3.00	3.14	3.00			:	0e.1	I.16	:	:
	Concord	16.00	16.18					:	:		:
0 0 0	Concord	20.50 2.00	20.69	1.00	1.54		: :	1.00	2.32		
Ground Bone	Concord	1.50	$\frac{2.02}{1.15}$	27.00	29.20			3 :	1 :		
Corenco Spurz-On Concord Corenco Complete Manure 4-12-4 — Lancaster Corenco 5-8-7 — Concord	ncord ncaster ncord	3.50 4.00 5.00	3.76 4.36 5.01	3.50	3.60	12.00	12.74	1.50 4.00 7.00	1.92 5.04 7.36		

Corenco Peerless Potato	5.00	5.01	:	i	10.00	10.08	10.00	10.24	:	:
Soluble Potato Minimasa Corenco 7-7-7 Complete Fruit and	5.00	4.96	:	:	10.00	10.08	10.00	10.16	2.00	2.11
Top Dressing Concord Corence 8-6-4 Landscape Fertilizer Concord Corence 8-12-16-2 Manchester	7.00 8.00 8.00	$\frac{7.09}{7.68}$			$\frac{7.00}{6.00}$	7.34 6.64	7.00 4.00 16.00	7.68 5.04 16.16	6	89
-16-16-2	8.00	8.10			16.00	14 03	16.00	14.01	2.00	2.03
sphate e 20%					19.00	19.44 20.07		10:4:		
Muriate of Potash 60%		:	:	:			60.00	60.16		
Baltimore, Md. Davco Granulated Fertilizer 4-12-4Manchester	4.00	4.07			12.00	12.18	4.00	4.08		
Granulated Fertilizer 5-8-7	5.00	5.01	:	:	8.00	8.06	7.00	7.04		
Daveo Granulated Fertilizer 5-10-5Manchester Daveo Granulated Fertilizer 5-10-10Concord	5.00	5.55			10.00	10.94	10.00	5.57 0.76	:	:
Granulated Fertilizer 7-7-7	7.00	6.88			7.00	7.43	7.00	7.84		
Granulated Fertilizer	:	:	:	:	14.00	14.60	7.00	8.72	:	
Davco Granulated Fertilizer 0-14-14Manchester Davco Granulated Fertilizer 0-20-20Lancaster					14.00 20.00	$\frac{14.01}{21.20}$	14.00	14.16	:	:
Granulated Superphos-					,	1				
phate 20% Manchester E. I. DuPont de Nemours Co.	i	:	:	:	20.00	21.18	:			:
Belle, W. Va.										
DuPont Nu Green FertilizerManchester	44.0	44.03	:	:	:	:	:	:	:	:
Eastern States Farmers' Exchange, Inc. W. Sprinofield. Massachusetts										
States 5-10-10	5.00	5.08	:	:	10.00	10.37	10.00	10.56		
States 8-12-12 L.C.S	8.00	8.24		:	12.00	12.48	12.00	12.96		
States 8-16-8	8.00	8.30	:		16.00		8.00	88.8	:	
Eastern States 8-16-16	8.00	8.14	:	:	16.00	16.13	16.00	16.72	:	:
States 10-10-10	10.00	10.00	:	:	00.01	10.02	00.00	10.64	:	:
States 20% Superphosphate	:	:			70.00	19.10	20.00	20.10	:	:
	:	:		:	20.00	20.84		:	:	
Eastern States Munate of Potash 60% Manchester	:	:	:	:		:	00.09	61.12	:	:
Providence, R. I.										
Muriate of PotashWalpole	i	:	:	:	:	:	00.09		:	:

			A.	Phosphoric Acid	ic Acid				Magnesium	sium
	Ä	Nitrogen	Total	al	Available	ple	Potash	sh	Öxide	le
Sample Drawn In in	beetnsranteed	puno <sub>s</sub> ą	beetnsrani	Found	БээтпятвиЮ	рипод	Бээлпятви	bruo'i	Guaranteed	F.onnq
Old Fox 412-8         Exeter           Old Fox 412-16         Exeter           Old Fox 4-16-20         Exeter           Old Fox 5-8-7         Exeter           Old Fox 8-6-10-10         Exeter           Old Fox 8-6-16-16         Exeter           Old Fox 8-16-16         Exeter           Old Fox 0-12-24         Exeter           Old Fox 0-20-20         Exeter           Old Fox 20-00         Exeter           International Mineral & Chemical Co.         Exeter           Noburn, Mass.         Nashua           International Bone Meal         Nashua           International Fertilizer 4-12-16-1         Lancaster           International Fertilizer 5-10-10-1         Manchester           International Fertilizer 5-10-10-1         Manchester           International Pertilizer 5-10-10-2         Manchester           International Fertilizer 5-10-10-2         Manchester           International Fertilizer 7-7-1         Manchester           International Fertilizer 6-12-2         Encaster           International Fertilizer 7-7-1         Manchester           International Fertilizer 7-7-1         Manchester	4.000 4.400 4.400 5.500 7.500 8.000	8.888 8.4.8888 9.5.50 9.50 9	23.00	53.32	12.00 15.00 16.00 16.00 17.00 17.00 17.00 17.00 17.00 17.00 10.00 10.00 11.00	2	8.500 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.00000 10.0000 10.0000 10.0000 10.0000 10.0000 10.0000 10.0000 10.	7.76 20.40 10.96 7.60 3.20 3.20 3.20 3.20 3.20 3.20 3.20 3.2	1.00 1.00 1.00 1.00 1.00 1.00 1.00	1.27 1.27 1.22 1.01 1.25 2.34 2.34 1.62
ate	=				10.00 14.00 20.00 20.00	11.83 14.61 20.01 20.53	10.00 14.00 20.00 60.00	14.32 20.80 59.84	1.00	1.17

Inc.	
Exchange,	
Farmers	
Merrimack	•

	i			:				:					:		:						:
				i				:					:		:						:
	5.52	7.60	7.20	5.52			2.08	7.52	10 48	7.20	-	:	62.08		4.80		5.12		5.04		2.16
	4.00	7.00	7.00	2.75			1.00	7.00	10.00	7.00	16.00	:	00.09		4.00		5.00		5.00		1.00
	12.11	8.50	7.21	0.51		:	:	8.39		7.64	16.24	21.05	:		12.01		10.03		10.03		:
	$\frac{12.00}{12.00}$	8.00	7.00	0.35		:		8.00	10.00	7.00	16.00	20.00	:		12.00		10.00		10.00		i
				i		27.45	0.85	:			:	:	:		:				:		1.42
				:		23.00	1.00	:			:	:	:								1.00
	4.38 4.58	4.83	7.61	2.30		2.29	2.01	5.11	5.21	7.08	8.08	:	:		4.25		4.82		5.35		100
	4.00 4.00	5.00	7.00	1.50		2.00	2.00	9.00	5.00	00.7	8.00	:	:		4.00		5.00		5.00		2.00
Concord, N. H.	Merrimack Fertilizer 4-12-4Concord Merrimack Fertilizer 4-12-16Concord		-7-7	Norwood Brand Sheep Manure	Portland, Conn.		Gro Fast Cow Manure	nubbard Vegetable Fertilizer 5-8-7 Reene Hubbard General Crop Fertilizer	5-10-10Nashua	Hubbard Top Dressing 7-7-7Nashua	Hubbard Double Strength 8-16-16Nashua	Hubbard 20% SuperphosphateKeene	Sagadahocs Fertilizer Works	Bowdoinham, Me.	Fasgrow 4-12-4Rochester	Baltimore, Md.	Vigoro 5-10-5Colebrook	Tennessee Corp. Lockland, Ohio		Walker-Gordon Lab. Co. Plainsboro. N. J.	BovungConway

















